

Molecular and Cell Biology of Lipids

Vol. 1437, 1999



Author Index

Abuja, P.M., see Kratky, D. (1437) 13

Antonenkov, V.D., Van Veldhoven, P.P., Waelkens, E. and Mannaerts, G.P.

Comparison of the stability and substrate specificity of purified peroxisomal 3-oxoacyl-CoA thiolases A and B from rat liver (1437) 136

Aoyagi, M., see Hamasaki, H. (1437) 93

Audubert, F., Klapisz, E., Berguerand, M., Gouache, P., Jouniaux, A.-M., Béréziat, G. and Masliah, J.

Differential potentiation of arachidonic acid release by rat α_2 adrenergic receptor subtypes (1437) 265

Avdulov, N.A., Chochina, S.V., Igbavboa, U., Warden, C.S., Schroeder, F. and Wood, W.G.

Lipid binding to sterol carrier protein-2 is inhibited by ethanol (1437) 37

Avella, M., see Bravo, E. (1437) 367

Balla, A., see Gehrmann, T. (1437) 341

Bartlett, K., see Eaton, S. (1437) 402

Bell, M.V., see Ghioni, C. (1437) 170

Béréziat, G., see Audubert, F. (1437) 265

Berguerand, M., see Audubert, F. (1437) 265

Berry, G.T., see Yorek, M.A. (1437) 287

Bianchi, R., see Yorek, M.A. (1437) 287

Binaglia, L., see Mancini, A. (1437) 80

Blecha, F., see He, X.-Y. (1437) 119

Börchers, T., see Wolfrum, C. (1437) 194

Botham, K.M., see Bravo, E. (1437) 367

Bravo, E., Cantafora, A., Cicchini, C., Avella, M. and Botham, K.M. The influence of estrogen on hepatic cholesterol metabolism and biliary lipid secretion in rats fed fish oil (1437) 367

Brennan, P.J., see Salman, M. (1437) 325

Buhlmann, C., see Wolfrum, C. (1437) 194

Cantafora, A., see Bravo, E. (1437) 367

Cesar, T.B., see Hirata, R.D.C. (1437) 53 Chochina, S.V., see Avdulov, N.A. (1437) 37

Choi, M.-U., see Kim, D.-U. (1437) 409

Cicchini, C., see Bravo, E. (1437) 367

Coletti, L., see Mancini, A. (1437) 80

Daniotti, J.L., see Maccioni, H.J.F. (1437) 101

de Crom, R., van Haperen, R., Janssens, R., Visser, P., Willemsen, R., Grosveld, F. and van der Kamp, A.

Gp96/GRP94 is a putative high density lipoprotein-binding protein in liver (1437) 378

Del Rosso, F., see Mancini, A. (1437) 80

Dennis, E.A., see Wang, A. (1437) 157

Dick, J.R., see Ghioni, C. (1437) 170

Dixon, J.L., see Sakata, N. (1437) 71

Dunlap, J.A., see Yorek, M.A. (1437) 287

Eaton, S., Bartlett, K. and Pourfarzam, M.

Intermediates of myocardial mitochondrial β-oxidation: possible channelling of NADH and of CoA esters (1437) 402

Eichberg, J., see Yorek, M.A. (1437) 287

Erbersdobler, H.F., see Trautwein, E.A. (1437) 1

Esterbauer, H., see Kratky, D. (1437) 13

Forgbert, K., see Trautwein, E.A. (1437) 1

Forte, T.M., see McCall, M.R. (1437) 23

Friedman, P., see Wang, A. (1437) 157

Fukuzawa, K., see Tokumura, A. (1437) 235

Furster, C. and Wikvall, K.

Identification of CYP3A4 as the major enzyme responsible for 25-hydroxylation of 5 β -cholestane-3 α ,7 α ,12 α -triol in human liver microsomes (1437) 46

Garrett, T.A., Rosser, M.F.N. and Raetz, C.R.H.

Signal transduction triggered by lipid A-like molecules in 70Z/3 pre-B lymphocyte tumor cells (1437) 246

Gehrmann, T., Gülkan, H., Suer, S., Herberg, F.W., Balla, A., Vereb, G., Mayr, G.W. and Heilmeyer Jr., L.M.G.

Functional expression and characterisation of a new human phosphatidylinositol 4-kinase PI4K230 (1437) 341

Ghioni, C., Tocher, D.R., Bell, M.V., Dick, J.R. and Sargent, J.R.

Low C_{18} to C_{20} fatty acid elongase activity and limited conversion of stearidonic acid, 18:4(n-3), to eicosapentaenoic acid, 20:5(n-3), in a cell line from the turbot, *Scophthalmus maximus* (1437) 170

Gouache, P., see Audubert, F. (1437) 265

Griffiths, D.H., see Hill, D.J. (1437) 63

Grimshaw, R.M., see Sugden, M.C. (1437) 202

Gromadzińska, E., see Żylińska, L. (1437) 257

Grosveld, F., see de Crom, R. (1437) 378

Gülkan, H., see Gehrmann, T. (1437) 341

Hamasaki, H., Aoyagi, M., Kasama, T., Handa, S., Hirakawa, K. and Taki, T.

GT1b in human metastatic brain tumors: GT1b as a brain metastasisassociated ganglioside (1437) 93

Handa, S., see Hamasaki, H. (1437) 93

He, X.-Y., Zhang, G., Blecha, F. and Yang, S.-Y.

Identity of heart and liver L-3-hydroxyacyl coenzyme A dehydrogenase (1437) 119

Heilmeyer Jr., L.M.G., see Gehrmann, T. (1437) 341

Heravi, J. and Waite, M.

Transacylase formation of bis(monoacylglycerol)phosphate (1437) 277

Herberg, F.W., see Gehrmann, T. (1437) 341

Hill, D.J., Griffiths, D.H. and Rowley, A.F.

Trout thrombocytes contain 12- but not 5-lipoxygenase activity (1437) 63

Hirakawa, K., see Hamasaki, H. (1437) 93

Hirata, M.H., see Hirata, R.D.C. (1437) 53

Hirata, R.D.C., Hirata, M.H., Mesquita, C.H., Cesar, T.B. and Maranhão, R.C.

Effects of apolipoprotein B-100 on the metabolism of a lipid microemulsion model in rats (1437) 53

Hoe, K.-L., see Kim, D.-U. (1437) 409

Holness, M.J., see Sugden, M.C. (1437) 202

Horrocks, L.A., see Jurkowitz, M.S. (1437) 142

Igbavboa, U., see Avdulov, N.A. (1437) 37 Iwase, H., see Sakurada, K. (1437) 214

Jang, Y.-J., see Kim, D.-U. (1437) 409

Janssens, R., see de Crom, R. (1437) 378

Johnson, C.A., see Wang, A. (1437) 157

Jouniaux, A.-M., see Audubert, F. (1437) 265

Jurkowitz, M.S., Horrocks, L.A. and Litsky, M.L.

Identification and characterization of alkenyl hydrolase (lysoplasmalogenase) in microsomes and identification of a plasmalogen-active phospholipase A₂ in cytosol of small intestinal epithelium (1437) 142

Kainou, T., Kawamura, K., Tanaka, K., Matsuda, H. and Kawamukai, M.

Identification of the GGPS1 genes encoding geranylgeranyl diphosphate synthases from mouse and human (1437) 333

Kasama, T., see Hamasaki, H. (1437) 93

Kawamukai, M., see Kainou, T. (1437) 333

Kawamura, K., see Kainou, T. (1437) 333

Kim, D.-U., Roh, T., Lee, J., Noh, J., Jang, Y.-J., Hoe, K.-L., Yoo, H.-S. and Choi, M.-U.

Molecular cloning and functional expression of a phospholipase D from cabbage (*Brassica oleracea* var. capitata) (1437) 409

Klapisz, E., see Audubert, F. (1437) 265

Kobayashi, M., see Sakurada, K. (1437) 214

Kratky, D., Lass, A., Abuja, P.M., Esterbauer, H. and Kühn, H. A sensitive chemiluminescence method to measure the lipoxygenase catalyzed oxygenation of complex substrates (1437) 13

Krauss, R.M., see McCall, M.R. (1437) 23

Kühn, H., see Kratky, D. (1437) 13

Kuwahata, M., see Sasagawa, T. (1437) 317

La Belle, M., see McCall, M.R. (1437) 23

Lachowicz, L., see Żylińska, L. (1437) 257

Lass, A., see Kratky, D. (1437) 13

Lee, J., see Kim, D.-U. (1437) 409

Liminga, M. and Oliw, E.

cDNA cloning of 15-lipoxygenase type 2 and 12-lipoxygenases of bovine corneal epithelium (1437) 124

Litsky, M.L., see Jurkowitz, M.S. (1437) 142

Lonsdale, J.T., see Salman, M. (1437) 325

Lumb, R.H., see Samples, B.L. (1437) 357

Maccioni, H.J.F., Daniotti, J.L. and Martina, J.A.

Organization of ganglioside synthesis in the Golgi apparatus (1437) 101

Mancini, A., Del Rosso, F., Roberti, R., Orvietani, P., Coletti, L. and Binaglia, L.

Purification of ethanolaminephosphotransferase from bovine liver microsomes (1437) 80

Mannaerts, G.P., see Antonenkov, V.D. (1437) 136

Manzo-Fontes, A., see Yorek, M.A. (1437) 287

Maranhão, R.C., see Hirata, R.D.C. (1437) 53

Martina, J.A., see Maccioni, H.J.F. (1437) 101

Masliah, J., see Audubert, F. (1437) 265

Matsuda, H., see Kainou, T. (1437) 333

Matsuda, Y., see Sakurada, K. (1437) 214

Mayr, G.W., see Gehrmann, T. (1437) 341

McCall, M.R., La Belle, M., Forte, T.M., Krauss, R.M., Takanami, Y. and Tribble, D.L.

Dissociable and nondissociable forms of platelet-activating factor acetylhydrolase in human plasma LDL: implications for LDL oxidative susceptibility (1437) 23

Mesquita, C.H., see Hirata, R.D.C. (1437) 53

Muñoz, S., see Sasagawa, T. (1437) 317

Nagao, M., see Sakurada, K. (1437) 214

Nakajima, M., see Sakurada, K. (1437) 214

Natori, Y., see Sasagawa, T. (1437) 317

Niijima, H., see Sakurada, K. (1437) 214

Nishimaki-Mogami, T., see Okochi, E. (1437) 393

Nishimoto, Y., see Sasagawa, T. (1437) 317

Nishioka, Y., see Tokumura, A. (1437) 235

Noh, J., see Kim, D.-U. (1437) 409

Oka, T., see Sasagawa, T. (1437) 317

Okita, M., see Sasagawa, T. (1437) 317

Okochi, E., Nishimaki-Mogami, T., Suzuki, K. and Takahashi, A. Perfluorooctanoic acid, a peroxisome-proliferating hypolipidemic agent, dissociates apolipoprotein B48 from lipoprotein particles and decreases secretion of very low density lipoproteins by cultured rat hepatocytes (1437) 393

Oliw, E., see Liminga, M. (1437) 124

Orvietani, P., see Mancini, A. (1437) 80

Pool, G.L., see Samples, B.L. (1437) 357

Pourfarzam, M., see Eaton, S. (1437) 402

Raetz, C.R.H., see Garrett, T.A. (1437) 246

Rieckhoff, D., see Trautwein, E.A. (1437) 1

Roberti, R., see Mancini, A. (1437) 80

Roh, T., see Kim, D.-U. (1437) 409

Rolf, B., see Wolfrum, C. (1437) 194

Rosser, M.F.N., see Garrett, T.A. (1437) 246

Rowley, A.F., see Hill, D.J. (1437) 63

Sakata, N. and Dixon, J.L.

Ubiquitin-proteasome-dependent degradation of apolipoprotein B100 in vitro (1437) 71

Sakurada, K., Iwase, H., Takatori, T., Nagao, M., Nakajima, M., Niijima, H., Matsuda, Y. and Kobayashi, M.

Identification of cis-9,10-methylenehexadecanoic acid in submitochondrial particles of bovine heart (1437) 214

Salman, M., Brennan, P.J. and Lonsdale, J.T.

Synthesis of mycolic acids of mycobacteria: an assessment of the cellfree system in light of the whole genome (1437) 325

Samples, B.L., Pool, G.L. and Lumb, R.H.

Subcellular localization of enzyme activities involved in the metabolism of platelet-activating factor in rainbow trout leukocytes (1437)

Sargent, J.R., see Ghioni, C. (1437) 170

Sasagawa, T., Oka, T., Tokumura, A., Nishimoto, Y., Muñoz, S., Kuwahata, M., Okita, M., Tsuji, H. and Natori, Y.

Analysis of the fatty acid components in a perchloric acid-soluble protein (1437) 317

Schroeder, F., see Avdulov, N.A. (1437) 37

Shiao, M.-S., see Su, C.-Y. (1437) 223

Shinomiya, J., see Tokumura, A. (1437) 235

- Spener, F., see Wolfrum, C. (1437) 194
- Su, C.-Y., Shiao, M.-S. and Wang, C.-T.
 - Predominant inhibition of ganodermic acid S on the thromboxane A₂-dependent pathway in human platelets response to collagen (1437) 223
- Suer, S., see Gehrmann, T. (1437) 341
- Sugden, M.C., Grimshaw, R.M. and Holness, M.J.
 - Caloric restriction leads to regional specialisation of adipocyte function in the rat (1437) 202
- Sugimoto, H., see Toyoda, T. (1437) 182
- Suzuki, K., see Okochi, E. (1437) 393
- Tabas, I., see Tang, W. (1437) 301
- Takahashi, A., see Okochi, E. (1437) 393
- Takanami, Y., see McCall, M.R. (1437) 23
- Takatori, T., see Sakurada, K. (1437) 214
- Taki, T., see Hamasaki, H. (1437) 93
- Tanaka, K., see Kainou, T. (1437) 333
- Tang, W., Walsh, A. and Tabas, I.
 - Macrophage-targeted CTP:phosphocholine cytidylyltransferase (1–314) transgenic mice (1437) 301
- Tocher, D.R., see Ghioni, C. (1437) 170
- Tokumura, A., see Sasagawa, T. (1437) 317
- Tokumura, A., Nishioka, Y., Yoshimoto, O., Shinomiya, J. and Fukuzawa, K.
 - Substrate specificity of lysophospholipase D which produces bioactive lysophosphatidic acids in rat plasma (1437) 235
- Toyoda, T., Sugimoto, H. and Yamashita, S.
 - Sequence, expression in *Escherichia coli*, and characterization of lysophospholipase II (1437) 182
- Trautwein, E.A., Forgbert, K., Rieckhoff, D. and Erbersdobler, H.F. Impact of β-cyclodextrin and resistant starch on bile acid metabolism and fecal steroid excretion in regard to their hypolipidemic action in hamsters (1437) 1
- Tribble, D.L., see McCall, M.R. (1437) 23
- Tsuji, H., see Sasagawa, T. (1437) 317

- van der Kamp, A., see de Crom, R. (1437) 378
- van Haperen, R., see de Crom, R. (1437) 378
- Van Veldhoven, P.P., see Antonenkov, V.D. (1437) 136
- Vereb, G., see Gehrmann, T. (1437) 341
- Visser, P., see de Crom, R. (1437) 378
- Waelkens, E., see Antonenkov, V.D. (1437) 136
- Waite, M., see Heravi, J. (1437) 277
- Walsh, A., see Tang, W. (1437) 301
- Wang, A., Yang, H.-C., Friedman, P., Johnson, C.A. and Dennis, E.A. A specific human lysophospholipase: cDNA cloning, tissue distribution and kinetic characterization (1437) 157
- Wang, C.-T., see Su, C.-Y. (1437) 223
- Warden, C.S., see Avdulov, N.A. (1437) 37
- Wikvall, K., see Furster, C. (1437) 46
- Willemsen, R., see de Crom, R. (1437) 378
- Wolfrum, C., Buhlmann, C., Rolf, B., Börchers, T. and Spener, F. Variation of liver-type fatty acid binding protein content in the human hepatoma cell line HepG2 by peroxisome proliferators and antisense
- RNA affects the rate of fatty acid uptake (1437) 194 Wood, W.G., see Avdulov, N.A. (1437) 37
- Yamashita, S., see Toyoda, T. (1437) 182
- Yang, H.-C., see Wang, A. (1437) 157
- Yang, S.-Y., see He, X.-Y. (1437) 119
- Yoo, H.-S., see Kim, D.-U. (1437) 409
- Yorek, M.A., Dunlap, J.A., Manzo-Fontes, A., Bianchi, R., Berry, G.T. and Eichberg, J.
 - Abnormal myo-inositol and phospholipid metabolism in cultured fibroblasts from patients with ataxia telangiectasia (1437) 287
- Yoshimoto, O., see Tokumura, A. (1437) 235
- Żylińska, L., Gromadzińska, E. and Lachowicz, L.
 - Short-time effects of neuroactive steroids on rat cortical Ca²⁺-ATPase activity (1437) 257
- Zhang, G., see He, X.-Y. (1437) 119

